



COMMERCIAL MOTORISED REEL CHECK LIST

Plastica Commercial Motorised Reel Manufacture Information Sheet V1.2.0

<u>From Quote</u>					
Account No					
Nominal Size and Type cov					
Reel type Wall or Stanchio					
Installation by Plastica Req	uired? NO / YES -	Postcod	e		
Note: Quote based on info necessary. If not already ki		this to proce	eed to Order more	information will be	
Pool Detail					
Confirm all pool dimensior Deck level or Freeboard			See diagram overle	eaf.	
If Freeboard type, give det Corners – Square or Radius					eaf
Obstructions in pool (hand	rails / ladders)? – \Box	NO - 🗆	YES – More detail	s will be required for	r order.
Special customer requirem	ents such as tight fit	or easy oper	ation?		
Reel centreline to pool din Motor side Left or Right vio Height to CL reel tube – (Si Note: Cover is best deliver	ewed from opposite e candard stanchion is 2	end of the po 2.9m giving a	ool		
Surround Detail					
Solid floor minimum 150m	m thickness? – 🗌 YE	S - □ N	IO – More details v	vill be required for o	rder
Minimum 3.5m headroom	? –	S - □ N	NO – More details v	will be required for o	rder
Note: end stands are centr	ed 35cm outside poo	l width			
Any slopes greater than 1:	40? – □ N(0 - 🗆 Y	ES – More details v	will be required for o	rder
Access Full Address for Delivery					
Ground floor? – 🗌 YES					
Outside door in pool Hall?	– □ YES - □ NC	D – More det	tails will be require	d for order.	
Clear route from car park t Walk route if necessary.	o pool? – 🗌 YES -	□ NO-N	More details will be	required for order.	

Please back up all the information with photographs of the pool as detailed overleaf and of each and any problem area. Any dimension sketches and/or construction plans available should be included.

